

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6594730".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:06
L2	20	(DSP same (buffer and input and output)).clm.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:08
L4	148	711/135.cor. ((DSP and (coprocessor co-processor)) same (buffer and data and cache))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:14
S1	14500638	@ad < "20030213"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:25
S2	1	"10/774775"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:46
S3	22653	S1 and "711"/\$.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/14 14:46
S4	12	S3 and ((DSP with coprocessor co-processor) same (cache and (segment region)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:54
S5	215	S3 and ((DSP (coprocessor co-processor)) same (buffer and data and cache))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 16:13
S6	114	S5 and ((input and output) same buffer)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/14 15:55
S7	81	S3 and ((DSP (coprocessor co-processor)) same ((buffer FIFO) with (data near20 transfer\$9)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:15
S8	106	S3 and ((DSP (coprocessor co-processor)) same ((share\$8 with memory) and (buffer fifo) and data))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:17

EAST Search History

S9	27	S8 and (prefetch with data)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/14 17:17
S10	2	"6490649".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 07:18
S12	2	"4942553".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 08:19
S13	2	"5495552".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 09:54
S14	2	"6622208".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 10:01
S15	6	("6601126" "5012402" "5535417").pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/15 10:01
S16	14	(US-20020099910-\$).did. or (US-5155832-\$ or US-5742839-\$ or US-6002881-\$ or US-6101583-\$ or US-6256724-\$ or US-6490649-\$ or US-6748497-\$ or US-6801988-\$ or US-6842844-\$ or US-6925641-\$ or US-6963962-\$ or US-4942553-\$ or US-6601126-\$).did.	US-PGPUB; USPAT	OR	ON	2006/02/15 14:05
S17	7	((DSP near10 core) same ((sequent\$9 stream\$6) with buffer))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 08:43
S18	4131	(DSP same ((sequen\$9 stream\$6) with (buffer data)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 08:45
S19	136	S18 and ((prefetch\$9 pre-fetch\$9 pre-read\$8) same (memory cache))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:10
S20	184	S18 and (shar\$9 with buffer)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:08

EAST Search History

S21	681	S18 and (DSP same ((input output) with (queue buffer)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:09
S22	23	S21 and ((prefetch\$9 pre-fetch\$9 pre-read\$8) same (memory cache))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/08/10 10:15



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((dsp <sentence> core) <paragraph> (input and output and buffer and cpu))<in>meta..."

☒ e-mail

Your search matched 3 of 1387402 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **A VLSI inner product macrocell**
 Breveglieri, L.; Dadda, L.;
[Very Large Scale Integration \(VLSI\) Systems, IEEE Transactions on](#)
 Volume 6, Issue 2, June 1998 Page(s):292 - 298
 Digital Object Identifier 10.1109/92.678890
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(208 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **A microprocessor with a 128-bit CPU, ten floating-point MAC's, four floati
 dividers, and an MPEG-2 decoder**
 Suzuoki, M.; Kutaragi, K.; Hiroi, T.; Magoshi, H.; Okamoto, S.; Oka, M.; Ohba,
 Y.; Furuhashi, M.; Tanaka, M.; Yutaka, T.; Okada, T.; Nagamatsu, M.; Urakawa;
 Kunimatsu, A.; Goto, H.; Hashimoto, K.; Ide, N.; Murakami, H.; Ohtaguro, Y.; A
[Solid-State Circuits, IEEE Journal of](#)
 Volume 34, Issue 11, Nov. 1999 Page(s):1608 - 1618
 Digital Object Identifier 10.1109/4.799870
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(640 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **A DVD processor with dual CPUs and integrated digital front-end for adv
 based consumer appliances**
 Rygh, M.; Fratus, J.; Lee, K.; Husaini, S.; Premkumar, V.; Konstantinides, K.;
[Acoustics, Speech, and Signal Processing, 2003. Proceedings. \(ICASSP '03\).](#)
[International Conference on](#)
 Volume 2, 6-10 April 2003 Page(s):II - 317-20 vol.2
 Digital Object Identifier 10.1109/ICASSP.2003.1202358
[AbstractPlus](#) | Full Text: [PDF\(325 KB\)](#) IEEE CNF
[Rights and Permissions](#)

 Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -